

Cheltenham Township, believing that public input is appropriate on any items coming before the Commissioners, will recognize any citizen wishing to address a specific item prior to the vote on that issue. In order to be recognized, please raise your hand.



AGENDA

BOARD OF COMMISSIONERS' MEETING

Wednesday, July 17, 2013

Curtis Hall

7:30 p.m.

1. Pledge of Allegiance.
2. Roll Call.
3. Approval of the Board of Commissioners' Regular Meeting Minutes dated June 19, 2013.
4. Acceptance of the Executive Summary Financial Report of the Manager/Secretary for the month of June, 2013.
5. Acceptance of the Accounts Paid Report for the month of June, 2013.
6. Presentation of a Resolution to Deputy Chief of Police Kevin O'Brien upon occasion of his retirement from the Cheltenham Township Emergency Management Team.
7. Presentation of a Resolution to John Hearn on the occasion of his retirement from the Elkins Park Fire Company and the Cheltenham Township Emergency Management Team.
8. Presentation of a Resolution to Dr. Leonard Rubin on the occasion of his retirement as Medical Director of the Cheltenham Township Emergency Medical Service.
9. Presentation of a Resolution honoring the 150th Commemoration of Camp William Penn.
10. Review and acceptance of the Public Works Committee Regular Meeting Minutes dated July 10, 2013.
 - a. Concurrence with a Montgomery County Consortium Contract to Furnish Vehicle Fuel.
 - b. Acknowledgement of an endorsement of a Change Order (Supplement A) for the Ashmead Road Bridge Replacement Project.
 - c. Award of a Contract for a new boiler at the Township Administration Building.
 - d. Rejection of bid for Roof Replacement at the Glenside Library.
 - e. Adoption of a Resolution authorizing the filing of a Watershed Restoration and Protection Grant.
 - f. Adoption of a Resolution authorizing a Growing Greener Grant Application (see attached).

AGENDA – BOARD OF COMMISSIONERS’ MEETING

July 17, 2013

Page Two

11. Review and acceptance of the Public Safety Committee Regular Meeting Minutes dated July 3, 2013.
 - a. Adoption of an Ordinance amending Chapter 285, thereof, entitled “Vehicles and Traffic”.
 - b. Adoption of a Resolution amending the Police Civil Service Rules and Regulations.
12. Review and acceptance of the Public Affairs Committee Regular Meeting Minutes dated July 3, 2013.
13. Review and acceptance of the Building and Zoning Committee Regular Meeting Minutes dated July 3, 2013.
14. Review and acceptance of the Finance Committee Regular Meeting Minutes dated July 10, 2013.
15. New Business.
 - a. Adoption of an Ordinance amending Chapter 238 of the Township Code titled “Sewers” regulating Fats, Oils and Greases (“FOG”) entering the wastewater collection system (see attached).
 - b. Recommendation by the Township Manager for consulting services for the La Mott and Wyncote Boards of Historical and Architectural Review (see attached).
16. Old Business.
 - a. Announcement of a Public Meeting scheduled for July 31, 2013 with the U.S. Army Corps of Engineers to review engineering alternative analysis for the Tookany Creek Flood Risk Management Feasibility Study at Glenside Hall, 6 p.m. – 7 p.m. Open House, 7 p.m. meeting (see attached).
17. Citizens’ Forum.
18. Adjournment.



Bryan T. Havir
Township Manager

**TOWNSHIP OF CHELTENHAM
RESOLUTION NO. __-13**

**AUTHORIZING THE FILING OF A GRANT
APPLICATION FOR THE FY 2013 GROWING GREENER GRANT PROGRAM
ADMINISTERED BY THE PENNSYLVANIA DEPARTMENT OF
ENVIRONMENTAL PROTECTION**

WHEREAS, the Township of Cheltenham is desirous of implementing a landscape management program dealing with stabilizing +/-3,000 linear feet of streambank along the Tookany Creek adjacent to the Tookany Creek Parkway, between Central Avenue and Ashmead Road, and re-planting the riparian buffer with new native plants and vegetation within the project area; and

WHEREAS this project is referenced as a high priority landscape management and implementation strategy in the *Tookany Creek Watershed Management Plan*, dated October 2003, and the Township's Comprehensive Plan Update, dated 2005 and the Open Space Plan, dated 2006 to improve the overall health of the stream corridor and tributaries; and

WHEREAS, the Township of Cheltenham desires to apply to the Pennsylvania Department of Environmental Protection ("Department") for a matching grant for the purposes of implementing the above-referenced project; and

WHEREAS, the general public, including community stakeholders, representatives and partners of the Tookany-Tacony/Frankford Watershed Partnership and the Tookany Creek Watershed Committee and the Cheltenham Township Environmental Advisory Council, has had the opportunity to comment on the proposed project; and

WHEREAS, the Township of Cheltenham understands that, by signing the "Signature Page for Grant Application" and submitting it to the Department as part of the grant application, the Township agrees to the terms and conditions of the grant and will be bound by the Grant Agreement if the Department awards a grant; and

WHEREAS, the Cheltenham Township Board of Commissioners have committed to fund this project through a combination of other grant sources, in-kind services, and local funds, in order to make up the necessary fifty (50%) percent match of the total project cost based on the attached Cost Estimate (Exhibit A).

NOW THEREFORE, BE IT RESOLVED by the Board of Commissioners of the Township of Cheltenham, County of Montgomery, Commonwealth of Pennsylvania, that the Township Administration be authorized to submit a grant application to the Department of Environmental Protection for FY 2013 for funding in the amount of \$300,000 for the implementation of this project described herein.

NOW THEREFORE, BE IT FURTHER RESOLVED by the Board of Commissioners of the Township of Cheltenham, County of Montgomery, Commonwealth of Pennsylvania, that it hereby authorizes and directs the filing of a grant application and execution of the resolution acknowledging public support for this project and the expenditure of funds necessary for its success be signed by Art Haywood, President of the Board of Commissioners and attested by the Bryan T. Havir, Township Manager, and in doing so, agree to be legally bound to the terms, conditions, and provisions set forth by the agreements.

DONE IN ELKINS PARK, PENNSYLVANIA, under my hand and the Seal of the Township of Cheltenham, this 17th day of July, A.D., 2013, in the year of the Township of Cheltenham the one hundred ninth.

TOWNSHIP OF CHELTENHAM

ATTEST:

BY:

Art Haywood, President

Bryan T. Havir
Township Manager/Secretary

(SEAL)

“EXHIBIT A”

ESTIMATED CONSTRUCTION COST for Streambank Stabilization and Riparian Buffer Enhancement

Cheltenham Township, Montgomery County, PA Tookany Creek

	<u>Quantity</u>	<u>Unit</u>	<u>Unit Price</u>	<u>Total Cost</u>
I Construction				
Exotic Invasive Species Eradication	2.24	Acres	\$15,625	\$35,000
Single pole bio-structural treatment	320	LF	\$165.00	\$52,800
Double pole bio-structural treatment	1259	LF	\$220.20	\$277,232
Triple pole bio-structural treatment	788	LF	\$330.90	\$260,749
Shrub Patches	Various	Patch	\$ 9,219	\$ 9,219
Rubble removal	1	LS	\$5,000	\$ 5,000
Tree removal,	20	EA	\$ 500	\$10,000
Temp. timber mat crossing installations	3	LS	\$5,000	\$15,000
Mobilization and bond	1	LS	\$ 5,000	\$ 5,000
SUB TOTAL				\$670,000
	<u>Quantity</u>	<u>Unit</u>	<u>Unit Price</u>	<u>Total Cost</u>
II Professional Services				
Design and Permit Preparation, Survey	1	LS	\$15,000	\$15,000
Public Bidding and Assistance	1	LS	\$ 3,000	\$ 3,000
Construction Management	1	LS	\$12,000	\$12,000.
SUB TOTAL				\$30,000.
GRAND TOTAL				\$700,000.
PADEP GROWING GREENER GRANT				\$300,000.
PADCED GRANT				\$300,000
MUNICIPAL MATCH				<u>\$100,000.</u>
				\$700,000.

**BOARD OF COMMISSIONERS OF
CHELTENHAM TOWNSHIP
MONTGOMERY COUNTY, PENNSYLVANIA**

ORDINANCE NO. _____

AN ORDINANCE OF THE BOARD OF COMMISSIONERS OF THE TOWNSHIP OF CHELTENHAM AMENDING CHAPTER 238, SEWERS, OF THE TOWNSHIP OF CHELTENHAM CODE OF ORDINANCES, AS AMENDED, TO PROVIDE A NEW ARTICLE REGULATING FATS, OILS AND GREASES (FOG) ENTERING THE WASTEWATER COLLECTION SYSTEM.

NOW, THEREFORE, BE IT ENACTED AND ORDAINED by The Board of Commissioners of the Township of Cheltenham, Montgomery County, Pennsylvania, and **IT IS HEREBY ENACTED AND ORDAINED** by the Authority of the same, as follows:

Section 1. Chapter 238, Sewers, of the Code of Ordinances of the Township of Cheltenham, as amended, is further amended to add the following new Article IV:

**ARTICLE IV
FOG PROGRAM**

§238-27. Purpose and Policy. The purpose of this Article is to reduce the amount of fats, oils and grease (“FOG”) entering the Township of Cheltenham (“Township”) wastewater collection system in order to comply with the Clean Water Act of 1977 and general pretreatment regulations (40 CFR, Part 403). This Article provides for the regulation of FOG contributors to publicly owned treatment works (“POTW”) through the issuance of permits, inspections, sampling and enforcement. The requirements within this Article shall be applied to, but not be limited to, all food processing facilities within the Township that discharge wastewater to be treated by the POTW. The requirements within this Article shall also be applied to residential users within the Township that discharge wastewater to the POTW and that contribute FOG to the Township’s sewage collection system.

§238-28. Definitions. The following terms and phrases shall have the designated meanings in the context of this Article.

DAYS – Days shall be considered as calendar days unless otherwise specified.

FOG – Fats, oils and grease created as a byproduct of cooking.

FOG ADMINISTRATOR – Township POTW superintendent or a duly authorized agent responsible for the enforcement of this Article.

FOG OVERFLOW REPORT – A report supplied to FOG Administrator by the Producer within five (5) days of a FOG overflow explaining the cause of the overflow, steps taken to contain and clean up the overflow, and measures taken to prevent the overflow from occurring again.

GREASE TRAP – An apparatus located inside the structure that collects and contains the fats, oils and grease, and removes a significant portion of it from the wastewater to be discharged.

NOV – Notice of Violation. A written notice specifically citing the nature of the violation and a specified time frame for correction.

OIL AND GREASE INTERCEPTOR – An apparatus located outside the structure that collects and contains the fats, oils and grease, and removes a significant portion of it from the wastewater to be discharged.

OVERFLOW – A discharge of FOG from a grease trap or interceptor into the POTW in a concentration greater than 100 mg/L or in the form of visible masses detrimental to the POTW.

POTW – Publicly owned treatment works, including the Township wastewater collection and conveyance system.

PRODUCER – Any commercial or public facility or private residential property that is connected to the Township POTW and that produces, directly or indirectly, wastewater containing FOG in a concentration greater than that defined in the General Regulations of this Article. Commercial facilities include, but are not limited to, restaurants, schools, private clubs, delis, churches and daycare centers. Producers shall be classified as follows:

CLASS 1 PRODUCER – Any Producer who has an oil and grease interceptor on the sewer line.

CLASS 2 PRODUCER – Any Producer who has a grease trap.

CLASS 3 PRODUCER – Any residential Producer.

§238-29. General Regulations. The following regulations apply to all Producers contributing to the Township POTW.

- (1) All Class 1 and 2 Producers must have a FOG permit in order to discharge to the POTW. The FOG Administrator shall receive all FOG permit applications. All Class 1 and 2 Producers are required to renew their permit annually.

- (2) At no time shall a Producer discharge, or cause to be discharged, any quantity of FOG to the POTW that exceeds the discharge limitation of 100 mg/l. At the discretion of the FOG Administrator, sampling by the Township of the Producer's discharge may occur when the FOG Administrator has evidence that indicates the Producer may not be complying with the requirements of this Article. All Class 1 Producers shall be responsible for providing an adequate sampling port on their grease interceptors.
- (3) The Producer is responsible for cleaning and/or having the oil and grease interceptor or grease trap cleaned on a regular basis so as not to discharge fats, oils and grease to the POTW that exceed the discharge limitation of 100 mg/l. The frequency of cleaning at a minimum shall be in accordance with the "25% Rule", as determined by the FOG Administrator and directed in the FOG permit. The "25% Rule" requires that the depth of oil and grease (floating and settled) in an interceptor or trap shall not be equal to or greater than twenty-five percent (25%) of the total operating depth of the interceptor or trap. The operating depth of an interceptor or trap is determined by measuring the internal depth from the outlet water elevation to the bottom of the interceptor or trap. In application of this Rule, the cleaning frequency shall also be determined by the size of the interceptor and inspection of the sewer lines. The Class 1 Producer shall empty and clean the grease interceptor as often as is necessary to prevent overflowing of FOG into the POTW.
- (4) Existing Producers which currently have an internal grease trap shall be required to clean and maintain that trap in an efficient manner. The following is prohibited to be discharged to an internal grease trap:
 - (a) Wastewater with a temperature greater than one hundred forty (140) degrees Fahrenheit.
 - (b) Acid or caustic trap cleaners – this may include enzymes and/or degreasers which liquefy the fats, oils and grease and allow them to pass from the grease trap and deposit in the POTW lines. Therefore, all enzymes and degreasers must be approved by the FOG Administrator or duly authorized representatives.
- (5) An existing Producer's FOG prevention procedures may be evaluated at any time by the FOG Administrator. If the FOG Administrator determines a Producer requires a grease interceptor, the Producer shall have a maximum of forty-five (45) days to install a properly sized grease interceptor by a qualified installation company.
- (6) Newly built Class 1 Producers or renovated existing Class 1 Producers shall install a properly sized oil and grease interceptor on the sewer line from the facility. The oil and grease interceptor shall be approved by the FOG Administrator. The oil and grease interceptor shall have the following design

features (as a minimum): a tee inlet in which one (1) tee branch extends a minimum of one (1) foot below the liquid level, an outlet tee with a minimum submergence of two-thirds (2/3) of the liquid depth, a baffle to separate the trap into two (2) compartments, and two (2) manhole access ways for inspection of the inlet and outlet tees. The interceptor shall have cleanouts and shall be located with easy access for pump out and inspection. The Producer may present alternative designs to the FOG Administrator. The FOG Administrator reserves the right to approve or reject the alternative design.

- (7) All Producers may be inspected by the FOG Administrator at his discretion. The FOG Administrator has the authority to access and inspect any oil and grease interceptor or grease trap. The FOG Administrator shall give adequate notice to all Class 3 Producers prior to inspection on their property.
- (8) Overflowing an oil and grease interceptor on the sewer line or on the sink discharge line is strictly prohibited. In such case, the Producer shall be responsible for the subsequent containment, cleanup and disposal of the overflow material as well as its expense. It is the responsibility of the Producer to immediately notify the Township FOG Administrator of the incident. The notification shall include the location of the overflow, the type of material, the volume and corrective actions. Within five (5) days of the overflow, the Producer shall submit to the Township a detailed written report describing the cause of the overflow, steps taken to contain the overflow, steps taken to prevent it from occurring again and the cleanup of the overflow.
- (9) Class 1 and Class 2 Producers must keep on site a current grease interceptor and grease trap cleaning log. Included on the cleaning log shall be the following information: date, time, who did the cleaning, volume of waste disposed of, location of disposal, and manifest if done by an outside hauler. Permit renewals shall require submission of the prior year's cleaning log.
- (10) The Township reserves the right to inspect a connected residential user(s) of the POTW if evidence within the POTW indicates that a significant buildup of FOG is occurring within proximity of the residential user(s) and that such evidence cannot be attributed to Class 1 or 2 Producers. Sampling will occur at the residential lateral cleanouts whenever possible.

§238-30. Permit Fees. Shall be as established in Chapter A300-27.

The following permits shall apply to all Class 1 and Class 2 Producers contributing to the POTW:

- (1) Initial Permit
- (2) Annual Permit Renewal

All permit fees are the responsibility of Producer and must be paid within thirty (30) days. Bills remaining unpaid after the due date will be charged additional interest at the rate of six percent (6%) per annum. Producers with unpaid permit fees shall be prohibited from obtaining any further annual permit renewals.

Any change in the rate and/or fees charged shall be made by a Resolution adopted by the Township of Cheltenham Board of Commissioners.

§238-31. Enforcement.

- (1) The Township shall suspend any FOG permit held by a Producer if the Producer does not adhere to the requirements of this Article. Once the permit is suspended, the Producer shall not discharge to the POTW until the permit is reinstated. The permit shall remain suspended until the Producer demonstrates proof that the noncompliance was eliminated.
- (2) The methods of enforcement shall include the issuance of a NOV and/or the assessment of a monetary penalty as defined in Sections §238-32 and §238-33.
- (3) Should the FOG inspectors need to sample any Producer, the Producer shall be responsible for the costs required for the analytical laboratory to perform the analysis of the sample. Payment must be paid within thirty (30) days of the date on which the FOG Administrator mails a bill to the Producer. Bills remaining unpaid after such 30-day period will be charged interest at the rate of six percent (6%) per annum.
- (4) Any costs incurred by the Township for cleaning the Producer's FOG from the POTW and/or penalties, fines or other costs incurred by the Township for the Producer's FOG shall be the responsibility of the Producer. Payment must be paid within thirty (30) days of the date on which the FOG Administrator mails a bill to the Producer. Bills remaining unpaid after such 30-day period will be charged interest at the rate of six percent (6%) per annum.

§238-32. Notice of Violations. In addition to all other remedies available to it, the Township shall have the right to issue a NOV(s) and/or impose a monetary penalty(ies), as hereinafter set forth in §238-33, for a violation of any requirements of this Article. The following factors shall be considered in imposing any and all monetary penalties:

- (1) Damage to the air, water and land of the Township and surrounding Township.
- (2) Damage and/or harm to the POTW and/or its personnel.
- (3) Past violations and compliance history.

(4) Producer's willingness and efficiency to comply; response to the NOV in a timely manner; notification to the Township; and quick, effective corrective action to eliminate the noncompliance.

(5) Magnitude of the violation.

§238-33. Types of Violations and Penalties. The following is a schedule of violations and maximum penalties to be assessed. Payment must be paid within thirty (30) days of the date on which the FOG Administrator mails a bill to the Producer. Bills remaining unpaid after such 30-day period will be charged interest at the rate of six percent (6%) per annum.

- (1) Failure to clean oil and grease interceptor/grease trap (1st offense) –NOV.
- (2) Failure to clean oil and grease interceptor/grease trap (2nd offense) according to schedule – NOV plus up to a Two Hundred and Fifty Dollar (\$250.00) penalty.
- (3) Failure to clean oil and grease interceptor/grease trap (3rd offense and thereafter) according to schedule – NOV plus up to a Five Hundred Dollar (\$500.00) penalty for every day the cleaning is not completed.
- (4) Failure to clean oil and grease interceptor/grease trap four (4) or more times within a twelve (12) month time period – NOV plus up to a One Thousand Dollar (\$1,000.00) penalty and the revocation of the Producer's permit.
- (5) Failure to keep and maintain cleaning log with necessary hauling manifests (1st offense) – NOV plus up to a One Hundred Dollar (\$100.00) penalty.
- (6) Failure to keep and maintain cleaning log with necessary hauling manifests (2nd offense) – NOV plus up to a Two Hundred Dollar (\$200.00) penalty.
- (7) Failure to keep and maintain cleaning log with necessary hauling manifests (3rd offense and thereafter) – NOV plus up to a Three Hundred Dollar (\$300.00) penalty.
- (8) Failure to keep and maintain cleaning log with necessary hauling manifests four (4) or more times within a twelve (12) month time period – NOV plus up to a Five Hundred Dollar (\$500.00) penalty and the revocation of the Producer's permit.
- (9) Overflow of oil and grease interceptor/grease trap –NOV plus a penalty to be assessed by factors set forth in §238-32, plus the violator will be liable for the entire cost of cleanup of site.
- (10) Failure to notify FOG Administrator of overflow immediately – NOV plus up to a One Thousand Dollar (\$1,000.00) penalty. Within 5 days, an overflow report must be submitted to the FOG Administrator.

(11) Failure to submit FOG overflow report within five (5) days to FOG Administrator – NOV plus up to a Two Hundred Fifty Dollar (\$250.00) penalty.

(12) Deliberately pouring FOG into the sewer system, including pouring anything that will wash out the oil and grease interceptor/grease trap – NOV plus up to a Five Thousand Dollar (\$5,000.00) penalty.

(13) Discharging more than 100 mg/l of fats, oil and grease – NOV plus up to a One Hundred Dollar (\$100.00) penalty.

§238-34. Rules and Regulations. The FOG Administrator shall have the power to establish additional appropriate Rules and Regulations for the administration and enforcement of the provisions of the FOG Program.

Section 2. Construction and Severability. In the event any provision, section, sentence, clause or part of this Article shall be held to be invalid, such invalidity shall not affect or impair any remaining provision, section, sentence, clause or part of this Article, it being the intent of the Township Board of Commissioners that such remainder shall be and shall remain in full force and effect.

Section 3. Additional Remedies. Any Producer which refuses or fails to comply with any of the provisions of this Article, in addition to the enforcement proceedings, fines, and penalties set forth in Sections §238-31, §238-32, and §238-33 may suffer discontinuance of water service and/or shall be subject to all other remedies available to the Township at law, or in equity, or both. Each owner of a regulated facility shall be deemed to have joint and severable liability and responsibility under the provisions of this Ordinance.

Section 4. Repealer. All Ordinances, or parts of Ordinances, of the Township which shall be inconsistent with this Ordinance shall be, and the same expressly are, repealed.

Section 5. Effective Date. This Ordinance shall become effective immediately upon enactment.

ENACTED AND ORDAINED, this _____ day of _____, A.D. 2013.

THE BOARD OF COMMISSIONERS
OF THE TOWNSHIP OF CHELTENHAM

BY: _____
President

ATTEST: _____

§ A300-27. Fats, Oils & Grease

(1)	Initial Permit	\$500.00
(2)	Annual Permit Renewal	\$250.00

Township of Cheltenham

Montgomery County, Pennsylvania

Board of Commissioners
Art Haywood, *President*
Harvey Portner, *Vice President*
Kathy A. Hampton
Charles D. McKeown
Daniel B. Norris
J. Andrew Sharkey
Morton J. Simon, Jr.



Administration Building
8230 Old York Road
Elkins Park, PA 19027-1589

Phone: 215 887-1000
FAX: 215 887-1561
WWW.CHELTENHAMTOWNSHIP.ORG

Township Manager
Bryan T. Havir

TO: Public Works Committee
FROM: Bryan T. Havir, Township Manager
RE: FY2013-14 BHAR Consultant Bid Proposals
DATE: July 8, 2013

The Township received four (4) responses on June 28, 2013 to its request for professional services for a historic preservation consultant to the Wyncote and La Mott Boards of Historic and Architectural Review (BHAR's) as follows:

<u>Name of Firms:</u>	<u>Total Lump Sum Cost:</u>
1. CHRS, Inc. 451 N. Cannon Avenue Suite 100B North Wales, PA 19454	\$15,525.24
2. Johnson, Mirmiran & Thompson, Inc. 1600 Market Street Suite 520 Philadelphia, PA 19103	\$13,316.06
3. Mid-Atlantic Historic Preservation Services, LLC 1137 Park Avenue Lansdale, PA 19446	\$10,627.14
4. CDA &I Architecture & Interiors, LTD 225 South 25 th Street Philadelphia, PA 19103	\$13,460.00

All of the consultants that submitted proposals meet the minimum qualification standards of the federal 36CFR61 historic preservation criteria. However, the Township was recently advised by the Pennsylvania Historical and Museum Commission (PHMC) that our Certified Local Government (CLG) grant was denied for FY2013-2014. Without substantial grant funding

MEMORANDUM
Public Works Committee
July 8, 2013

from the PHMC, I am not sure the Township can continue to fund the historic preservation consultant position. At this time, it is recommended because of budgetary constraints, for FY2013-2014 that we not award a professional consultant services contract for the La Mott and Wyncote BHARS for August 1, 2013 through July 31, 2014.

BTH/km 

cc: David Jones, Acting Director of Engineering, Zoning & Inspections
Carmen Reitano, Assistant to the Acting Director of Engineering, Zoning & Inspections

Tookany Creek Flood Risk Management Feasibility Study

AGENDA

July 31, 2013

7:00 PM

Glenside Hall

**185 South Keswick Avenue
Glenside, PA 19038**

- 6:00PM Open House
- 7:00 PM Welcoming Remarks by Cheltenham Township officials
- 7:05 PM USACE Project Review
- 7:10 PM Presentation of Alternatives
- 7:30 PM Engineering Analysis of Alternatives
- 8:00 PM Economic Analysis
- 8:15 PM Question and Answer Period
- 9:00 PM Adjournment

From 6:00 PM to 7:00 PM representatives from the USACE Project Team will be available to discuss the project in detail and answer individual questions concerning the alternatives.



**US Army Corps
of Engineers**
Philadelphia District